

T 9 N

R 3 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

6

Township No 9 North of Range No 3 West 2nd Mer. Ind. 411

South Boundary.

April 11. 1811. From the cor of sec. 35 89 N R 28 37
 West On the South Boundary of sec. 36 79 N R 27 W
 19.50 To a Brook 50 links mid, Co. M.
 4000 Set a 74 support from which
 Buck. 13 in dist. from. 74 E. 44 links dist; 80
 Co. 16 " " " 74 N. 43 " "
 8000 Set a post for the cor of sec. 35 836 from which
 Buck. 15 in dist. from. 76 E. 27 links dist; 80
 Logwood 4, " " 76 N 25, "
 Hilly Buck land

West On the South Boundary of sec. 35 79 N R 37.
 4000 Set a 74 support from which
 Oak 16 in dist. from. 70 N. 2 links dist; 80
 Sugar. 5 " " " 36 N 34, "
 8000 Set a post for the cor of sec. 34 835 from which
 Buck. 13 in dist. from. 70 N 28 links dist; 80
 Co. 12 " " " 36 E. 26 " "
 Poor Hilly Oak land.

West On the South Boundary of sec. 34 79 N R 47.
 4000 Set a 74 support from which
 Sugar. 5 in dist. from. 57 E 3 links dist; 80
 Buck. 12 " " " 37 N 51 " "
 6750 To a Brook 5 links mid, Conn. 20.
 8000 Set a post for the cor of sec. 33 734 from which
 Sassafras 8 in dist. from. East 16 links dist; 80
 Poplar. 6 " " " 36 N 28 " "
 Sand 1st 1/2 mile Hilly. Timber Buck; 2nd 1/2
 mile Hilly rich land. Timber Poplar, Sugar Buck,

West On the South Boundary of sec. 33 79 N R 37.

T. N. 9. N. R. N. 37 W. 2nd Mer. Ind.

17.00 To a Brook 8 miles mid. Corner S. N.
 40.00 Set a post from which
 Brook 14 in dist. from N 46 E 19 miles dist. from
 Ho. 14 " " " " 160 N. 29 " "
 80.00 Set a post for the cor. of sec. 33 & 34 from which
 Sugar 9 in dist. from N 82 E 26 miles dist. from
 Ho. 10 " " " " 183 N 33 " "
 Kelly Brook bank.

Met On the South Boundary of sec. 33. T. 9. N. R. 37 W.
 38.50 To a Brook 11 miles mid. Leo S. N.
 40.00 Set a post from which
 Sugar 12 in dist. from N 43 E 4 miles dist. from
 Ho. 12 " " " " 155 N 42 " "
 64.50 To a Brook 10 miles mid. Corner V. C.
 80.00 Set a post from which
 Oak 36 in dist. from S 39 N 27 miles dist. from
 Brook 18 " " " " 120 N 26 " "
 Land making good from Brook & Sugar &

Met On the South Boundary of sec. 31. T. 9. N. R. 37 W.
 35.00 To a Brook 12 miles mid. Leo S. N.
 40.00 Set a post from which
 Brook 9 in dist. from N 10 E 11 miles dist. from
 Ho. 15 " " " " 146 E 26 " "
 80.00 Set a temporary post for the cor. of sec. 16. 31 & 36.
 S. 84 7 N. R. 37 W.

East Boundary. Apr. 8. 1811

North On the East Boundary of sec. 36. T. 9. N. R. 37 W.
 18.50 To a Brook 60 miles mid. Leo S. N.
 25.00 " " Ho. 15 " " " " S. N.
 33.50 " " " " " " " " S. N.

T. N. 9. N. R. N. 37 W. 2nd Mer. Ind.

40.00 Set a post from which
 Sugar 11 in dist. from N 27 E 18 miles dist. from
 Ho. 12 " " " " 127 N 15 " "
 75.00 To a Poplar 30 in dist. in the river.
 80.00 Set a post for the cor. of sec. 25 & 36 from which
 Sugar 11 in dist. from N 47 E 31 miles dist. from
 Brook 16 " " " " 151 N 26 " "
 Land rich from Sugar.

North On the East Boundary of sec. 25. T. 9. N. R. 37 W.
 40.00 Set a post from which
 Coffee nut 16 in dist. from S 6 N 12 miles dist. from
 Brook 10 " " " " 144 E 2 " "
 62.00 To a Brook 15 in dist. in the river.
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 Sugar 4 in dist. from S 20 E 3 miles dist. from
 Brook 18 " " " " 131 N 35 " "
 Land & timber same as last mile

North On the East Boundary of sec. 24. T. 9. N. R. 37 W.
 9.50 To a Brook 14 in dist. in the river.
 40.00 Set a post from which
 Kelly 12 in dist. from S 12 N 9 miles dist. from
 Ho. 12 " " " " 138 E 9 " "
 80.00 Set a post for the cor. of sec. 13 & 24 from which
 Oak 36 in dist. from N 47 E 22 miles dist. from
 Ho. 36 " " " " 147 N 30 " "
 Land with timber Oak Hickory Brook &

North On the East Boundary of sec. 13. T. 9. N. R. 37 W.
 19.50 To a Sugar 15 in dist. in the river.
 34.00 To a Brook 30 miles mid. Leo S. N.
 40.00 Set a post from which

68.50 To a Brook 30 miles mid, Co. N. W.
 80.00 Set a post for the ca. of ev. 32 & 33 from which,
 Sugar 13 in dia. here. N 58 E. 4 miles dist; 8 a
 Ho 18 " " " S 35 W 30 " "
 Same & timber as above. Poor Hilly Oak & Beech land

West On the South Boundary of sec 32 T. 10. N. R. 377
 2.50 To a Brook 30 miles mid, Co. N. W.

40.00 Set a post for the ca. of ev. 31 & 32 from which,
 Sugar 14 in dia. here. S 47 W. 6 miles dist; 8 a
 Beech 10 " " " N 30 E. 12 " "

80.00 Set a post for the ca. of ev. 31 & 32 from which,
 Ash 40 in dia. here. N 44 E. 14 miles dist; 8 a
 Beech 13 " " " S 50 W. 12 " "
 Hilly Beech land.

West On the South Boundary of Sec. 31. T. 10. N. R. 377.

40.00 Set a post for the ca. of ev. 31 & 32 from which,
 Sugar 15 in dia. here. N 37 E. 15 miles dist; 8 a
 Beech 6 " " " S 60 W. 18 " "

81.39 To 101 miles South of the Temp. Post ca. of J.
 9110 N. R. 374 West; & set a post from which,
 Hackberry 15 in dia. here. N 47 W. 12 miles dist;
 8 a Ho. 13 " " " S 3 E. 5 " "
 Same Hilly Timber Beech, Oak, &c.

West Boundary

April 13th 1811. From the ca. of J. 589. N. R. 374 W.

North On the East Bdy of sec. 36 T. 9. N. R. 477.

10.50 To a Brook 15 in dia. in the river

40.00 Set a post for the ca. of ev. 13 & 24 from which,
 Beech 18 in dia. here. S 10 W. 22 miles dist; 8 a
 Ho 16 " " " N 54 W. 11 " "

59.00 To a Brook 8 miles mid, Co. S. E.

69.00 " " " " " " " " " " " "

80.00 Set a post for the ca. of ev. 25 & 36 from which,
 Beech 16 in dia. here. N 20 E. 41 miles dist; 8 a
 Hick 12 " " " S 36 W. 14 " "
 Hilly Beech land.

North On the East Boundary of sec. 25 T. 9. N. R. 477

14.00 To a Poplar 30 in dia. in the river.

40.00 Set a post for the ca. of ev. 24 & 25 from which,
 Oak 20 in dia. here. S 80 W. 20 miles dist; 8 a
 Sugar 13 " " " N 68 E. 14 " "

67.50 To a Brook 50 miles mid, Co. S. W.

80.00 Set a post for the ca. of ev. 24 & 25 from which,
 Beech 11 in dia. here. N 44 E. 21 miles dist; 8 a
 Ho 15 " " " N 44 W. 22 " "
 Same 1st & 2nd mile land; Timber Beech; 2nd & 3rd mile
 Good Beech land.

North On the East Boundary of sec. 24 T. 9. N. R. 477.

2.00 To a Brook 8 miles mid, Co. S. E.

37.50 " " " " " " " " " " " "

40.00 Set a post for the ca. of ev. 13 & 24 from which,
 Beech 7 in dia. here. S 14 E. 3 miles dist; 8 a
 Ho 6 " " " N 62 W. 12 " "

80.00 Set a post for the ca. of ev. 13 & 24 from which,
 Hick 10 in dia. here. S 14 W. 22 miles dist; 8 a
 Ho 10 " " " N 36 E. 13 " "
 Good land. Timber Beech, Sugar, Poplar &c.

North On the East Boundary of sec. 13 T. 9. N. R. 477

40.00 Set a post for the ca. of ev. 13 & 24 from which,
 Beech 5 in dia. here. S 59 W. 26 miles dist; 8 a

T. N. 9 N. R. N. 37 2nd Mer. Ind.

Beck 18 in dist. from. N 51 E 53 miles dist;
 46.50 To a Poplar 48 in dist. in the m.
 80.00 Set a post for the cor of sec. 12 & 13. from which,
 Sugar 13 in dist. from. S 20 E 18 1/2 miles dist; & a
 No. 5 " " " N 43 E 25 " "
 Lands Hilby and rich; Timber Sugar, Poplar & Buck

North On the East Boundary of sec. 12 T. 9 N. R. 37
 9.50 To a Brook 8 miles mid, Co. N E.
 31.50 " " " " " " " " " " " "
 40.00 Set a new post from which,
 Beck 5 in dist. from. N 63 W. 20 miles dist; & a
 No. 6 " " " " " " " " " " " "
 66.00 To a Beck 12 in dist. in the m.
 80.00 Set a post for the cor. of sec. 14 & 15 from which,
 Beck 6 in dist. from. S 30 W. 19 miles dist; & a
 No. Oak 30 " " " " " " " " " " " "
 Lands rich; Timber Beck, Sugar, & Poplar,

North On the East Bdy of sec. 1. T. 9. N. R. 37
 40.00 Set a new post from which,
 Elm 13 in dist. from. S 3 E 43 miles dist; & a
 No. 20 " " " " " " " " " " " "
 80.00 Set a temp. post for the cor of T. 9 & 10. N. R. 37
 Lands rich now bottom.

Surveyed by
 James Holmes.
 Dep. Supt.

Subdivisions

September 7th 1815.

North Between Sec. 35 & 36. T. 9 N. R. 37.
 40.00 Set a new post from which,

T. N. 9 N. R. N. 37 2nd Mer. Indiana

Saddafas 24 in dist. from. S 13 E 13 miles dist; & a
 No. 9 " " " " " " " " " " " "
 75.00 To a Brook 25 miles mid, Co. W.
 80.00 Set a post for the cor of sec. 25, 26, 35 & 36 from which,
 Beck 29 in dist. from. S 69 W. 27 1/2 miles dist; & a
 No. 8 " " " " " " " " " " " "
 S 43 E 37 " "
 Lands Hilby and middling good for farming
 Timber Beck, Oak, Oak,

East On a Random line between Sec. 25 & 36. T. 9 N. R. 37.
 24.00 To a Brook 20 miles mid, Co. W.
 40.00 Set a temp. post for the cor.
 78.78 Set a post on the East Boundary 67 miles North of the post
 cor of sec. 25 & 36.
 Lands the same.

West On the line between Sec. 25 & 36. T. 9 N. R. 37.
 38.39 Set the temp. post for the cor. on the line
 from which, Beck 36 in dist. from. S 58 W. 17 1/2 miles dist.
 and a Sugar. 3 " " " " " " " " " " " "
 N 19 W. 14 " "
 78.78 To the cor of sec. 25, 26, 35 & 36.

North Between Sec. 25 & 36. T. 9 N. R. 37.
 40.00 Set a new post from which,
 Beck 10 in dist. from. N 35 W. 13 miles dist; & a
 No. 16 " " " " " " " " " " " "
 S 64 E 50 " "
 80.00 Set a post for the cor of sec. 23, 24, 25 & 26 from which,
 Sugar 7 in dist. from. S 53 W. 8 1/2 miles dist; & a
 No. 19 " " " " " " " " " " " "
 S 59 E 21 " "
 Lands Hilby and tolerably rich; Timber Beck,
 Oak & Sugar.

East On a Random line between Sec. 24 & 25. T. 9 N. R. 37.

T. N. 9. N. R. N. 37 2nd Mm. Ind.

40.00 Set a trap for the deer.
 78.28. Enter cut the East Boundary 43 miles South of the
 foot of cut. 24 & 25.
 Same as the same as last mile.

West On the line between Sec. 24 & 25 T. 9. N. R. 37
 39.14 Set the trap for the deer at the cut on the line from
 which, Buck 48 in dist. from. N 88 W 26 the dist. 8 a
 Poplar. 5 ; ; ; 28 E. 25 ; ;
 78.28 To the foot of cut. 23, 24 25 & 26.

North Return Sec. 23 & 24 T. 9. N. R. 37
 40.00 Set a new post from which,
 Buck 36 in dist. from. N 40 W 4 miles dist. 8 a
 Sugar. 2 p ; ; ; N 24 W 10 ; ;
 80.00 Set a post for the cut of cut. 12, 14, 23 & 24 from which,
 Buck. 14 in dist. from. South 12 miles dist. 8 a
 Ash. 17 ; ; ; N 19 W 5 ; ;
 Sugar oak and ash. rather Nilly than otherwise
 Timber ash Walnut, Sugar, Buck 8.

East Ogakomani line between Sec. 13 & 24 T. 9. N. R. 37
 24.00 To a small Spring Branch, Co. N.
 40.00 Set a trap for the deer.
 78.93 Enter cut the East Boundary 20 miles South of the
 foot of cut. 13 & 24
 Same as the same as last mile.

West On the line between Sec. 13 & 24 T. 9. N. R. 37
 39.46 Set the trap for the deer at the cut on the line from
 which, Buck 12 in dist. from. N 65 E 10 the dist.
 and a Do. 10 ; ; ; N 54 W 11 ; ;
 78.93 To the foot of cut. 13, 14 23 & 24.

T. N. 9. N. R. N. 37 2nd Mm. Ind. 421

North Return Sec. 13 & 14 T. 9. N. R. 37
 15.50 To a small Brook, Co. N.
 29.50 To a brook 55 miles from, Co. N.
 40.00 Set a post from which,
 Buck 24 in dist. from. N 44 W 10 miles dist. 8 a
 Sugar. 8 ; ; ; N 48 W 16 ; ;
 80.00 Set a post for the cut of cut. 11, 12, 13 & 14 from which,
 Ash. 40 in dist. from. N 40 W 13 miles dist. 8 a
 Buck 10 ; ; ; N 37 W 16 ; ;
 Same as the same.

East Ogakomani line between Sec. 12 & 13 T. 9. N. R. 37
 18.50 To a small Brook, Co. N.
 40.00 Set a trap for the deer.
 78.55 Enter cut the East Boundary 5 miles South of the
 foot of cut. 12 & 13. Same as the same.

West On the line between Sec. 12 & 13 T. 9. N. R. 37
 39.27 Set the trap for the deer at the cut on the line from
 which, Sugar. 5 in dist. from. N 37 E 22 the dist.
 and a Buck. 18 ; ; ; West. 15 ; ;
 78.55 To the cut of cut. 11, 12, 13 & 14

South Ogakomani line between Sec. 11 & 12 T. 9. N. R. 37
 40.00 Set a trap for the deer.
 79.80 Enter cut the E & W line 109 miles West of the foot of cut
 Sec. 11, 12, 13 & 14. Same as the same.

North On the line between Sec. 11 & 12 T. 9. N. R. 37
 39.85 Set the trap for the deer at the cut on the line from
 which, Sugar. 16 in dist. from. N 3 E 21 the dist.
 and a Buck 10 ; ; ; N 8 W 21 ; ;
 79.70 To the foot of cut. 1, 2, 11 & 12

T. N. 9 N. R. 37 2nd Mer. Ind.

East On a Random line between Sec 18 & 19 T. 9. N. R. 37.
40.00 Set a temporary support.
55.00 To a small Brook corner NW.
80.00 Intersect the East Boundary 20 miles North of the first
cor of sec. 18 & 19. Found the same.

West On the same line between Sec 18 & 19 T. 9. N. R. 37.
40.00 Set the temporary support at the ar dist on the same line
from which Sugar 15 in dia. trees. 840 N. 28 W. dist
uncor. Do. 17 " " N 16 E. 20 " "
80.00 To the first cor of sec. 1, 2, 11 & 12

North Between Sec 18 & 19 T. 9. N. R. 37.
40.00 Set a new post from which
Beck 10 in dia. trees. 811 N. 22 W. dist; 8 a
Sugar. 4 " " N 17 E. 14 " "
77.80 Intersect the NW Boundary 27 miles West of the first
cor. of sec. 35 & 36. T. 10 N. R. 37 and set a post for
the cor. of, 14 & 2 from which
Beck 15 in dia. trees. N 48 W. - W. dist; 8 a
Do. 10 " " West. 42 " "
Lands middling good for farming.

Sept. 8. 1815.
North Between Sec 34 & 35 T. 9. N. R. 37.
40.00 Set a new support from which
Sugar. 6 in dia. trees. 837 N. 26 W. dist; 8 a
Ammonite 5 " " N 3 E. 16 " "
67.00 To a Brook 45 miles wide, corner W.
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from
which Beck 14 in dia. trees. N 65 E. 12 W. dist; 8 a
Do. 18 " " N 51 W. 10 " "
Lands middling for farming.

T. N. 9 N. R. 37 2nd Mer. Ind.

Timber Oak, Ash, Sugar, Poplar, Buck, &c.

East On a Random line between Sec 26 & 35 T. 9. N. R. 37.
30.50 To a small Brook corner S.
40.00 Set a temporary support.
79.75 Intersect the NW line 49 miles North of the first
cor of sec. 25, 26, 35 & 36. Found the same.

West On the same line between Sec 26 & 35 T. 9. N. R. 37.
39.87 Set the temporary support at the ar dist on the same line from
which Sugar 4 in dia. trees. 850 E. 5 W. dist; 8 a
Do. 5 " " N 55 W. 31 " "
79.75 To the first cor of sec. 26, 27, 34 & 35.

September 9 1815.

North Between Sec 26 & 27 T. 9. N. R. 37.
40.00 Set a new support from which
Sugar. 7 in dia. trees. 89 E. 21 W. dist; 8 a
Do. 5 " " N 8 E. 21 " "
80.00 Set a post for the cor of sec. 22, 23, 26 & 27 from which
Beck 5 in dia. trees. 828 N. 7 W. dist; 8 a
Sugar. 6 " " N 49 W. 11 " "
Lands same as last mile.

~~West On a Random line between Sec 23 & 26 T. 9. N. R. 37.
40.00 Set a temporary support
80.18 Intersect the NW line 69 miles North of the first cor.
of sec. 23, 24, 25 & 26.
Lands pretty much middling good for farming;
Timber Oak, Buck, Sugar, ash Sugar, &c.
300 trees line Sec and of Township~~

North Between Sec 22 & 23 T. 9. N. R. 37.
40.00 Set a new support from which

T. N. 9. N. R. N. 37. 2nd Mm. Ind.

Amrock. 3 in dia. beam. S 48 E 5 1/2 lbs dist. 8 a

Do. 3 " " " 168 11 12 " "

55.50 To a creek. beam L.M.

80.00 Set a post for the cor of sec. 14-15, 22 & 23 from which

Sugar. 5 in dia. beam. S 30 W 17 lbs dist. 8 a

Chp. 16 " " " 130 11 16 " "

Sugar, Hilby and middling Limbu Buck, Elm.
Sugar &c.

~~West On a Random line between Sec 15 & 22 T. 9. N. R. 37.~~

~~40.00 Set a temp. post.~~

~~81.00 Intersect the A 15 line 57 1/2 miles North of the
post cor of sec. 15, 16, 21 & 22.~~

East On a Random line between Sec 14 & 23 T. 9. N. R. 37.
Sept. 11, 1815.

0.50 To a Brook. 20 miles mid. Sec. L.M.

18.00 To a Creek. - " " " "

40.00 Set a temp. post.

80.85 Intersect the N 8 E line 107 miles South of the post
cor of sec. 13, 14, 23 & 24
Set at the same.

West On the Line line between Sec 14 & 23 T. 9. N. R. 37.

40.42 1/2 Set the temp. post at the cor. dist. on the line
from which 13 Oak 18 in dia. beam. S 35 W 26 lbs dist
and a Spruce. 4 " " " S 6 E 25 " "

80.85 To the post cor of sec. 14, 15, 22 & 23.

South Return Sec 14 & 15 T. 9. N. R. 37.

Sept. 11, 1815.

1.00 To a Brook 21 miles mid. Sec. L.M.

40.00 Set a temp. post from which

T. N. 9. N. R. N. 37. 2nd Mm. Ind.

Buck. 8 in dia. beam. S 37 N 15 lbs dist. 8 a

Do. 11 " " " S 48 E 26 " "

80.00 Set a post for the cor of sec. 10, 11, 14 & 15 from which

Sugar. 15 in dia. beam. N 44 E 7 lbs dist. 8 a

Do. 13 " " " N 36 W 18 " "

Sugar, Hilby and middling for farming;
Limbu Sugar, Oak, Buck, Cherry, Hick & Walnut.

East On a Random line between Sec 11 & 14 T. 9. N. R. 37.

40.00 Set a temp. post.

80.50 Intersect the N 8 E line 62 miles South of the post cor.
sec. 11, 12, 13 & 14

Sugar, Hilby and mid. Limbu Oak, Ash & Elm.
Cherry &c.

West On the Line line between Sec 11 & 14 T. 9. N. R. 37.

40.25 Set the temp. post at the cor. dist. on the line
from which 13 Oak 18 in dia. beam. N 79 E 10 lbs dist
and a Buck 8 " " " S 42 W 20 " "

80.50 To the post cor of sec. 10, 11, 14 & 15.

South On a Random line between Sec 10 & 11 T. 9. N. R. 37.

40.00 Set a temp. post.

80.03 Intersect the E 8 W line 117 miles West of the post
cor of sec. 10, 11, 14 & 15.

Sugar good for farming; Limbu Oak, Ash,
Sugar, Buck, Walnut, Poplar,

North On the Line line between Sec 10 & 11 T. 9. N. R. 37.

40.01 1/2 Set the temp. post at the cor. dist. on the line
from which Oak 36 in dia. beam. S 25 E 4 lbs dist
and a Spruce. 20 " " " N 20 E 26 " "

80.03 To the post cor of Sec 2, 3, 10 & 11

T. N. G. N. R. N. 377. 2nd Mer. Ind.

East On the line between Sur. 22 & 27 T. 9. N. R. 377
40.35 Set the temp. 74 in post at the cr. dist. on the line from
which, Buck 13 in dist. from S 29 E. 33 1/2 dist. 8
Do. 13 " " " N 65 W. 12 " "
80.70 To the post cr. of sur. 22, 23, 26 & 27

North Return Sur. 21 & 22 T. 9. N. R. 377
18.00 To a Brook 6 links near, Co. N.
40.00 Set a post from which,
Buck 13 in dist. from S 5 E. 5 links dist. 8
Do. 24 " " " N 65 W. 12 " "
80.00 Set a post for the cr. of sur. 15, 16, 21 & 22 from which,
Buck 6 in dist. from S 5 E. 28 1/2 dist. 8
Do. 9 " " " S 29 W. 4 " "
Sends the same.

West On a Remorse line between Sur. 15 & 22 T. 9. N. R. 377
40.00 Set a temp. 74 in post.
81.00 Intersect the N 83 line 57 links North of the post cr.
of sur. 15, 16, 21 & 22.
Sands muddling for farming; Timber Oak, Birch &
Ash.

East On the line between Sur. 15 & 22 T. 9. N. R. 377
40.25 Set the temp. 74 in post at the cr. dist. on the line from
which, Buck 15 in dist. from - 47 E. 26 links dist.
8
Do. 17 " " " N 24 W. 28 " "
81.00 To the post cr. of sur. 14, 15 & 22 & 23.

Sept. 21. 1815.
North Return Sur. 15 & 16 T. 9. N. R. 377.
40.00 Set a temp. 74 in post from which,
Buck 8 in dist. from S 23 W. 20 1/2 dist. 8

T. N. G. N. R. N. 377. 2nd Mer. Ind.

Math. Buck. 5 in dist. from S 33 E. 21 1/2 dist.
80.00 Set a post for the cr. of sur. 9, 10, 15 & 16 (from which)
Made a corner for sur. 9, 10, 15 & 16 in a Large Poplar,
48 in diam. Sends the same.

West On a Remorse line between Sur. 10 & 15 T. 9. N. R. 377.
40.00 Set a temp. 74 in post
80.57 Intersect the North & Elm 215 links South of the post cr.
of sur. 9, 10, 15 & 16. Sends the same.

East On a line between Sur. 10 & 15 T. 9. N. R. 377.
40.28 Set the temp. 74 in post at the cr. dist. on the line
from which, Buck 10 in dist. from S 87 W. 21 1/2 dist. 8
Do. 12 " " " N 53 E. 8 1/2 " "
80.57 To the post cr. of sur. 10, 11, 14 & 15.

North Return Sur. 9 & 10 T. 9. N. R. 377.
40.00 Set a post from which,
Sugar. 6 in dist. from N 6 W. 24 links dist. 8
Buck 15 " " " N 54 E. 24 " "
80.00 Set a post for the cr. of sur. 3, 4, 9 & 10 from which,
Sugar. 5 in dist. from S 45 E. 10 links dist. 8
Sugar. 3 1/2 " " " N 10 W. 23 " "
Sands & hills, can be rich Timber Oak, Ash, Birch,
Hick & Poplar.

East Return Sur. 3 & 10 T. 9. N. R. 377.
15.30 To a Brook 25 links near, Co. N.
35.00 To a small spring branch.
40.00 Set a post from which,
Buck 4 in dist. from N 47 W. 20 1/2 dist. 8
Oak 6 " " " N 27 E. 28 " "
48.50 To a small spring branch, Co. N.

T. N. 9. N. R. N. 3. W. 2nd Mer. Ind.

80.00 Let apart for the ca. of sec. 2. 310 & 11 from which
Sugar 10 in dist. here. — 33 E 18 N. dist. of a
Buck 10 " " " 45 N 27 " "
Timber Oak, Ash, Sugar, Buck etc

North Return Sec 314. T. 9. N. R. 3. W.
9.50 To a Brook to timber mid. Sec. NW.
25.00 To a small Spring branch Sec. NW.
31.00 " " Brook 20 N. dist. mid. Sec. NW.
45.00 Let a 1/2 report from which
Buck 7 in dist. here. 44 E 16 N. dist. of a
Do. 6 " " " 37 N 21 " "
77.20 Intersect the N. Boundary. 32 N. dist. East of the post ca. of
Sec. 33 & 34. T. 10. N. 3. W. 8 made corner on an Iron-
work capstone 5 in dist.

South On a Random line between Sec. 32 & 33 T. 9. N. R. 3. W.
40.00 Let a 1/2 report from which
50.00 To a small Brook Sec. NW.
65.00 " " Brook 6 N. dist. mid. Sec. NW.
80.13 Intersect the South Boundary of sec. 9. N. 49
N. dist. West of the post ca. of sec. 34 & 33
Lands rolling and good for farming. Timber same

North On the Iron line between Sec. 32 & 33. T. 9. N. R. 3. W.
40.01 Let the 1/2 report at the ar. dist. on the Iron line
from which Buck 15 in dist. here. 45 N 28 W. dist.
mid. Sugar. 5 " " " 35 E 18 " "
80.02 At the post ca. of sec. 28. 29. 32 & 33.

West Return Sec. 28 & 33. T. 9. N. R. 3. W. N. 5. 25 E
40.00 Let a 1/2 report from which
Buck. 8 in dist. here. 40 N. 14 W. dist. of a

T. N. 9. N. R. N. 3. W. 2nd Mer. Ind.

80.00 Sugg. 12 in dist. here. 41 N 27 W. 20 W. dist. of
Let apart for the ca. of sec. 28, 29. 32 & 33 from which
Log oak 6 in dist. here. 41 N 14 W. dist. of a
Oak. 24 " " " 4 E 25 " "
Lands low hills & middling good for farming
Timber same.

South On a Random line between Sec. 28 & 29 T. 9. N. R. 3. W.
40.00 Let a 1/2 report from which
79.88 Intersect the E. W. line 8 N. dist. West of the post ca.
of sec. 28. 29. 32 & 33.
Lands the same as last mile.

North On the Iron line between Sec. 28 & 29 T. 9. N. R. 3. W.
39.94 Let the 1/2 report at the ar. dist. on the Iron line
from which Buck 30 in dist. here. 40 N 3 W. dist.
Oak. 24 " " " 35 E 21 " "
79.88 At the ca. of sec. 20. 21. 27. & 28

West Return Sec. 21 & 28 T. 9. N. R. 3. W.
40.00 To a Brook 70 N. dist. mid. Corner NW.
40.00 Let a 1/2 report from which
Buck 9 in dist. here. 43 E 20 W. dist. of a
Do. 18 " " " 88 N 35 " "
80.00 Let apart for the ca. of sec. 20. 21. 28 & 29 from which
Buck 24 in dist. here. 49 E 12 W. dist. of a
Do. 18 " " " 30 E 30 " "
Lands hilly and middling for farming. Timber
same

North Return Sec. 21 & 21. T. 9. N. R. 3. W.
40.00 Let a 1/2 report from which
Hemlock. 5 in dist. here. 34 N. 10 W. dist. of a

T. N. 9. N. R. N. 372nd Mer. Ind.

41.00	Hemlock 15 in dia: bear. N 74 W. 19 1/2 dist:
53.00	It all oak 70 links mid, Leo. W.
80.00	It a spring branch. Co. S. W.
	Set apart for the cor of sec. 16. 17 20 8 21 from which,
	Beck 18 in dia: bear. N 87 W. 31 links dist; 8 a
	Do 7 " " " S 76 E. 35 " "
	Land broken & hilly. Timber same.
East	Quadrant line between Sec. 16 & 21. T. 9. N. R. 372
40.00	Set a temp. 7/4 post.
53.00	It a Brook. 8 links mid, Leo. S. E.
80.19	Intersect the N 85 line 25 links South of the post cor of
	Sec. 15. 16. 21 & 20
	Land hilly. Timber same. West 7/4 mile broken
West	On the line between Sec. 16 & 21. T. 9. N. R. 372
40.09	Set the temp. 7/4 post at the ar. dist. on the true line
	from which, Beck 10 in dia: bear. N 64 W. 17 1/2 dist
	and do 12 " " " N 60 E. 2 " "
80.19	Set the post cor of sec. 16. 17 20 & 21
South	On a Random line between Sec. 16 & 17. T. 9. N. R. 372
40.00	Set a temp. 7/4 post.
53.50	It a spring Branch. Leo. E.
80.56	Intersect the E 77 line 66 links East of the post cor of sec.
	16. 17 20 & 21. Land hilly and midling for farm-
	ing. Timber same.
North	On the line between Sec. 16 & 17. T. 9. N. R. 372
40.28	Set the temp. 7/4 post at the ar. dist. on the true line from
	which, Beck 9 in dia: bear. N 85 W. 7 links dist; 8 a
	Do 9 " " " S 66 E. 11 " "
80.56	Set the post cor. of sec. 16. 17 20 & 21

T. N. 9. N. R. N. 372nd Mer. Ind.

West	Return Sec. 9 & 16. T. 9. N. R. 372
40.00	Set a temp. 7/4 post from which,
	Beck 9 in dia: bear. S 84 W. 34 links dist; 8 a
	Do 6 " " " N 6 E. 14 " "
60.00	It a Brook. 8 links mid, Leo. S.
80.00	Set apart for the cor of sec. 8. 9. 16 & 17 from which,
	Beck 14 in dia: bear. N 6 W. 20 1/2 dist; 8 a
	Do 10 " " " S 2 E. 18 " "
	Land rolling. Timber same midling good farming
	land;
South	On a Random line between Sec. 8 & 9. T. 9. N. R. 372
40.00	Set a temp. 7/4 post.
78.50	Intersect the NW E line 30 links West of the post cor of sec.
	8. 9 16 & 17. Land low hills. Timber same. Land mid-
	dling good for farming.
North	On the line between Sec. 8 & 9. T. 9. N. R. 372
39.25	Set the temp. 7/4 post at the ar. dist. on the true line from
	which, Beck 9 in dia: bear. S 63 W. 27 1/2 dist; 8 a
	Do 9 " " " N 34 E. 12 " "
78.50	Set the cor of sec. 4. 5, 8 & 9.
East	On a Random line between Sec. 4 & 9. T. 9. N. R. 372
40.00	Set a temp. 7/4 post.
52.50	It a Brook 6 links mid, Leo. NW.
80.30	Intersect the N 85 line 80 links South of the post cor
	of sec. 3. 4. 9 & 10. Land the same.
West	On the line between Sec. 4 & 9. T. 9. N. R. 372
40.15	Set the temp. 7/4 post at the ar. dist. on the true line from
	which, Sugar 12 in dia: bear. S 7 E. 11 1/2 dist; 8 a

I. N. 9. N. R. N. 37. 2nd Mer. Ind.

80.30 Sugar 9 in dia. beam. N 50 N. 26 limits dist;
 1/4 the post on of ear 4.5.889.

North Between Sur 445 I. 9. N. R. 37.

40.00 Set a post from which

Sugar 15 in dia. beam. N 84 N. 26 limits dist; 8 a

Poplar 28 " " " S 56 E 9 " "

77.16. Intersect the N Boundary 146 limits West of the post on
 of ear 32133. I. 10 N. R. 37 and set a post for the ear of
 " 445 from which

Beck 15 in dia. beam. N 78 E. 18 limits dist; 8 a

Do 9 " " " N 78 N. 8 " "

Land Broken & Hilly Timber same.

South On a Random line between Sur 31832. I. 9. N. R. 37.

40.00 Set a temp. 7/4 post.

81.00 Intersect the S Boundary 47 limits West of the post on
 of ear 31832. Land Hilly and poor Timber same.

North On the same line between Sur 31832. I. 9. N. R. 37.

40.50 Set the temp. 7/4 post at the ear dist on the same line from
 which, Dogwood 6 in dia. beam. S 87 N. 21 limits dist; 8 a
 R. Oak 12 " " " N 85 E. 15 " "

81.00 Set the post on of ear 293131832.

West Between Sur 29132. I. 9. N. R. 37.

40.00 Set a post from which

Dogwood 5 in dia. beam. N 43 E. 7 limits dist; 8 a

Sugar 10 " " " S 22 E. 14 " "

74.50 Log Brook 20 limits inside. See L. 11.

80.00 Set a post for the ear of ear 2930. 31832 from which

Beck 12 in dia. beam. N 56 E. 15 limits dist; 8 a

Do. 6 " " " S 56 E. 13 " "

I. N. 9. N. R. N. 37. 2nd Mer. Ind.

East 1/2 mile same as last mile. West 1/2 mile 8/10

West Between Sur 30431. I. 9. N. R. 37.

40.00 Set a temp. 7/4 post from which

Dogwood 6 in dia. beam. S 45 E. 19 limits dist; 8 a

Beck 12 " " " N 20 N. 29 " "

79.56. Intersect the West Boundary 209 limits North of the post
 on of ear 25136. I. 9. N. R. 47 and set a post for the
 " " " 30431 from which

Beck 8 in dia. beam. S 36 E. 7 limits dist; 8 a

Sugar 8 " " " N 34 E. 10 " "

Land the same.

South On a Random line between Sur 29132. I. 9. N. R. 37.

40.00 Set a temp. 7/4 post.

81.08. Intersect the E. N. line 33 limits East of the post on
 of ear 2930 31832. Land the same.

North Between Sur 29132. I. 9. N. R. 37 (same line)

40.54 Set the temp. 7/4 post at the ear dist on the same line from

which, Dogwood 3 in dia. beam. S 88 N. 19 limits dist; 8 a

Beck 20 " " " N 78 E. 14 " "

81.08 Set the post on of ear 192029132.

East On a Random line between Sur 20829. I. 9. N. R. 37.

40.00 Set a temp. 7/4 post

79.76. Intersect the N. B. line. 25 limits North of the post on of
 Sur 20. 21 28429. Land Broken & Hilly Timber
 Beck, Gum, Sugar, Poplar, Gum, Ash, S.

West On the same line between Sur 20829. I. 9. N. R. 37.

39.88 Set the temp. 7/4 post at the ear dist on the same line from

which, Beck 12 in dia. beam. S 31 E. 14 limits dist; 8 a

T. N. 9. N. R. N. 3rd 2nd 1st Ind.

7976. 8a Bush. 12 in dia. beam. N56E 29 Wk dist.
Set the cor of sec. 19. 20. 29 & 30

West Return Sat 19130 T. 9. N. R. 3rd
40.00 Set a 7/8 post from which
W Ash 8 in dia. beam. N82E 32 Wk dist. 8a
Elm 9 " " " N38E 30 " "
40.50 To a creek 70 links mid. Sec. 17.
7984 Intercept the N53 line 328 links North of the post cor of
Sat. 24 & 25 T. 9. N. R. 4th on a set apart from the cor of
" 18819 from which
Bush. 9 in dia. beam. N59E 3 links dist. 8a
Do. 18 " " N67W 16 " "
East 1/2 mile same. West 1/2 creek & Bottom

South Return Sat 19821 T. 9. N. R. 3rd
40.00 Set a 7/8 post from which
Sugar. 12 in dia. beam. N57W 4 Wk dist. 8a
Do. 6 " " " N40E 22 " "
60.00 a Brook 70 links mid. Sec. 17
80.00 Set a post for the cor of sec. 19. 20. 29 & 30 from which
Lynx 6 in dia. beam. N6E 8 Wk dist. 8a
Dogwood 5 " " " N60W 4 " "
Same the same.

Sunday Sept. 10. 1815.
West Return Sat 17820 T. 9. N. R. 3rd
4.00 To a Brook 10 links mid. Sec. 17.
40.00 Set a 7/8 post from which
Bush. 8 in dia. beam. N8W 44 Wk dist. 8a
Do. 15 " " " N56W 51 " "
80.00 Set a post for the cor of sec. 17. 18. 19 & 20 from which
Bush. 12 in dia. beam. N60W 16 links dist. 8a
Poplar 24 " " " N43E 46 " "

T. N. 9. N. R. N. 3rd 2nd 1st Ind. 437

Land Broken & Hilley 3rd rate Timber same

West Return Sat 18819 T. 9. N. R. 3rd N. 5° 25' E.
40.00 Set a 7/8 post from which
Sugar 14 in dia. beam. N47W 8a Hick 12 in dia
beam. N39E 28 links dist.
80.00 Intercept the West Boundary 298 links North of the post
cor of sec. 13 & 24 T. 9. N. R. 4th and set a post for the
" " " 18819 from which
Hick 18 in dia. beam. N67W 23 links dist. 8a
W Ash. 9 " " " N77W 19 " "
Land (muddling) good for farming.

South On a Random line between Sat 17 & 18 T. 9. N. R. 3rd
40.00 Set a temporary 7/8 post.
48.00 To a Brook 6 links mid. Sec. 17.
78.84 Intercept the E & W line 5 links West of the post cor of
Sat. 17. 18. 19 & 20 Land Broken & Hilley Timber
same.

North On the line between Sat 17 & 18 T. 9. N. R. 3rd
39.42 Set the temporary 7/8 post at the cor dist on the line
from which Walnut 24 in dia. beam. N64E - Wk dist
and a Sugar. 8 " " " N40W 22 " "
78.84 Set the cor of sec. 17. 18 & 19.

West Return Sat 8817 T. 9. N. R. 3rd N. 5° 40'
40.00 Set a 7/8 post from which
Sugar. 12 in dia. beam. N23E 17 links dist. 8a
Bush. 6 " " " N39W 12 " "
80.00 Set a post for the cor of sec. 8. 9. 10 & 11 from which
Bush 12 in dia. beam. N81E 30 links dist. 8a
Do. 6 " " " N77W 11 " "

T. N. 9. N. R. N. 377 2nd Mer. Ind.

Sands the same as last mile.

West Return Sec. 607. T. N. 9. N. R. 377
 40.00 Set a new post from which
 Bench 10 in dist. from. N 74 W 20 miles dist. to
 Co. 14 9 9 S 73 E 24 9 9
 79.89 Intersect the N 78 W Range line 170 miles North of the
 post from the corner 12472. T. N. 9. N. R. 377 and set a post
 9 9 9 9 T 118 from which
 Dogwood 5 in dist. from. S 127 N 11 miles dist. to
 Bench 30 9 9 N 18 E 30 9 9
 Sand Broken & Hilky Timber same.

North Return Sec. 718. T. N. 9. N. R. 377. 17.15
 40.00 Set a new post from which
 Sugar. 12 in dist. from. S 54 W 12 miles dist. to
 N Walnut. 9 9 9 S 24 E 22 9 9
 70.00 Set a post 15 miles mid. Co. W
 80.00 Set a post for the corner 5.6. 78.8 from which
 Bench 15 in dist. from. N 34 E 10 miles dist. to
 Heats 18 9 9 S 30 W 32 9 9
 Sands the same.

East Return Sec. 588. T. N. 9. N. R. 377.
 0.50 To a Spring Branch. 4 miles mid. Co. S.
 5.00 9 9 9 9 9 9
 10.00 To a Brook 15 miles mid. Co. S. W.
 40.00 Set a new post from which
 Bench 14 in dist. from. N 45 W 42 miles dist. to
 Co. 15 9 9 S 54 E 28 9 9
 80.00 Set a post for the corner 4.5. 88.9 from which
 93 from. 14 in dist. from. S 38 E 8 miles dist. to
 Bench. 9 9 9 North 15 9 9 Sand same.

T. N. 9. N. R. N. 377 2nd Mer. Ind.

Ch. V. 1727 Return Sec. 607. T. N. 9. N. R. 377
 40.00 Set a new post from which
 Bench 10 in dist. from. N 74 W 20 miles dist. to
 Co. 14 9 9 S 73 E 24 9 9

West Return Sec. 607. T. N. 9. N. R. 377.
 9.50 To a Spring Branch 3 miles mid. Co. W.
 40.00 Set a new post from which
 Poplar. 18 in dist. from. N 87 W 45 miles dist. to
 Bench 9 9 9 S 8 E 13 9 9
 79.53 A Bench. 8 in dist. stands for the corner 607 on the
 West 737 21 miles North of the post corner 9472
 T. N. 9. N. R. 477.
 Sands Hilky and sub soil Timber same middling
 good farming land.

North Return Sec. 586. T. N. 9. N. R. 377
 40.00 Set a new post from which
 Bench. 12 in dist. from. S 4 W 44 miles dist. to
 Co. 10 9 9 N 16 E 16 9 9
 76.20 Intersect the N 30 W Range line 138 miles West of the post
 corner 10. 31132. T. N. 9. N. R. 377 and set a post
 9 9 9 586. (from which) Post stands in
 a sink hole for the corner 586. from which
 Bench 12 in dist. from. N 17 W 38 miles dist. to Sand same.
 Surveyed by Wm. Harris & Co. Inc.

I certify that the foregoing Transcript of the field notes of T.
 N. 9. N. R. N. 377 2nd Mer. Ind. has been compared
 with the Original notes in this Office & found to be correct.
 Supt. General's Office
 Cincinnati, Nov. 29, 1864

Supt. General

T9 N R23 W. 2^d. Mer. Ind. a

ch. 1. 1/2 mi.

40.09

East

On true line between Sec. 23 & 26

40.09 Set of Sec. post at average dist. from which
a Sugar 3 in. diam. bears N 21 E 4 1/2 ch. dist. 7
a Beech 5 " " " S 36 E 23 " "

80.18 to Sec. Corner.

Township No 10 North of Range No 3 West 2^d Mer. Ind. a

South Boundary.

B157

East

On a Random line between T. 9 N. R. 3 W.
6 miles 139 links. Set 2 ch. North of the corner
Cornered and marked the line

West

On the South Boundary of Sec. 36. T10 N R 3 W.

40.00

Set a 7/8 cup post from which
Poplar 40 in diam. bears N 76 E 48 1/2 ch. dist. 8
Beech 30 " " " S 76 W 28 " "

80.00

Set a post for the cor. of sec. 35 & 36 from which
Beech 20 in diam. bears N 81 E 28 1/2 ch. dist. 8
Sugar 10 " " " S 30 W 11 " "
Good Beech, land; timber some Poplar.

West

On the South Boundary of sec. 35. T10 N R 3 W.

0.50

To a Brook 11 links west, sec. NW.

40.00

Set a 7/8 cup post from which
Beech 12 in diam. bears N 70 W 8 links dist. 8
Do 5 " " " S 33 E 18 " "

80.00

Set a post for the cor. of sec. 34 & 35 from which
Oak 16 in diam. bears S 52 E 50 links dist. 8
Beech 15 " " " N 19 W 22 " "
Sands good timber Oak & Sugar.

West

On the true line On the South Boundary of sec. 34.
T10 N R 3 W

40.00

Set a 7/8 cup post from which
Sugar 14 in diam. bears S 38 E 22 links dist. 8
Do 14 " " " N 11 W 21 " "

80.00

Set a post for the cor. of sec. 33 & 34 from which
Beech 6 in diam. bears N 12 E 10 links dist. 8
Do 13 " " " S 35 W 31 " "
Sands and timber same as last mile.